Index for 1976

The following is a list of articles and other editorial presentations published in Electronic Packaging and Production in 1976. Listing is by title under the category considered as the main theme of each article. The author index at the end of this section indicates the month in which the author's feature appeared. Reprints are not available for general distribution.

Buyer's Guides to Manufacturers and Suppliers

Connector/Interconnection Product Suppliers, April, p.46, Part 2.
Vendor Selection Issue, July.
Test Equipment and Testing Services Directory, August, p.T-31.
Microelectronics Buyer's Guide, Nov., p.59.
Printed Circuit Buyer's Guide, Dec., p.53.

Chemicals and Materials

"Resin Systems for High-Performance Laminates," R. Castonguay, July, p.80.
"Selection of Copper Alloys for Terminals, Connectors and Springs," S. P. Zarlingo, July, p.217.
"Inks for Wire Identification Systems," D. J. Wulgart, July, p.76.
"Understanding Fluorocarbons," R. D. Danielson, July, p.78.
"Platings for Connector Contacts," S.M. Garte, July, p.228.

Conferences and Exhibitions

NEPCON '76 West Product Preview, Jan., p.109.
SEMICON/West '76 Product Preview, April, p.41.
NEPCON '76 East Product Preview, May, p.121.

Connectors/Interconnection

"Conductive Elastomers Solve Interconnection Problems", C. H. Kuist, Feb., p.81.
"Connector Standardization Efforts Benefit Both Users and Manufacturers," April, p.11.
"Fiber Optics as an Interconnecting Medium," T. Bowen, April, p.17.
"Wire Wrapping as a Cost Effective Approach to Interconnection", D.G. Polich, July, p.54.
"Mass Terminating Connectors for Flat Cables," G. King, October., p.43.

Microelectronics

"A Comparison of Thick-film Screen Materials," H. R. Harris, Jan., p.60.
"Wafer Etching: Manual or Automated? Wet or Dry?" H.W. Markstein, Feb., p.24.
"Semiconductor Wafers: Looking Past Four-inch," H. W. Markstein, April, p.21.
"Simple Techniques of Hybrid Failure Analysis," D.C. Guidici, May, p.101.
"The SEM as a Diagnostic Tool for Microelectronics," J.R. Devaney, June, p.113.
"Utilizing Gas Analysis Equipment in Semiconductor Processing," D.E. Meyers, July, p.121.
"Using Thick Films for Microwave Applications," T.M. Foster, July, p.156.
"Chemical Handling Problems and Solutions for Semiconductor Plants," C.D. Abrahams, July, p.245.
"Wafer Scrubbing Techniques", R.H. Heath, July, p.152.
"Gang Lead Bonding of IC's", T. Angellucci, Sr., July, p.154.
"Spin-on Dopants," H. F. Jones, July, p.168.
"SEMI Standards for Silicon Wafers," G.E. Moore, Sr., July, p.170.
"Understanding Leak Rates," G.R. Neff, July, p.271.
"Tape Automated Mass Bonding," C. W. Umbaugh, Oct., p.49.
"The Plastic World of Semiconductors," H. W. Markstein, Nov., p.51.
"Analyzing Metallization Systems for Microwave Semiconductor Devices," R. D. Enquist, Dec., p.96.

look at DIP's at temperature

testing at temperature proves DIP quality

Automatic test handling for MOS, linear, bipolar DIP's.

Device to load board distance: < 1".

All load boards/test fixtures mate directly.

Stick to stick 6-20, 22, 24-28 pin DIP's.

Conversion to all standard sticks & devices < 10 min.

Test rate 5,000/h with 220ms test time.

Device temperature is precise at production rates for MOS, linear, bipolar.



TYPE 1152 HIGH TEMP

Daymarc

301 SECOND AVENUE
WALTHAM, MASS. 02154
TELEPHONE (617) 890-2345
TWX: (710) 324-6469

Circle 17 on Reader-Service Card

Etched Circuit Products

The total one-stop source for:

- Equipment
- Chemicals
- P.C. Kits
- Copper Clad Laminates
- Artwork & Graphic Supplies
- Nameplate Materials

Solve your requirements for reliable, quick in-house circuit boards with Kepro Photosensitized Copper Clads, Chemicals and Supplies. Write for the 1976 Kepro Catalog: Kepro Circuit Systems Inc., 3630 Scarlet Oak Blvd., St. Louis, Missouri 63122.

The Bench-top Printed Circuit Facility

With BTB-500 series Bench-top bases, your Kepro Bench-toppers become a totally pre-engineered "in-house" printed circuit facility. Work flow and equipment positioning are no longer a "big decision". Room or area layout and size can be easily determined using the illustration below as a guideline. To operate the BT system, as pictured, only two 115V AC 20A line services are required. If BTB-502 wet operating base is used, one 40 PSI ½" water service and one 2" floor or wall drain is required.

When the BTB-503 re-circulating base is used with wet operating equipment, plumbing services for water in-put and drains are not required.



Kepro Bench-top printed circuit processing equipment as pictured is available also as separate units. Individual pricing is listed below.

Kepro Bench-top Equipment Pricing as Pictured $4535.00							
Kepro #	Description		Net Price	Kepro #	Description		Net Price
BTC-101	Dip Coater		$ 495.00	BTD-201	Spray Developer		$ 425.00
BTO-102	Infra-Red Oven		340.00	BTR-203	Rinse Unit		205.00
				BTE-202	Spray Etcher		465.00
BTX-200	Exposure Frame		255.00	BTR-203	Rinse Unit		205.00
				BWD-204	Water Dryer		435.00
BTB-501	Dry Base		715.00	BTB-503	Recirculating Base		995.00
	Equipment Sub Total		$1805.00		Equipment Sub Total		$2730.00
Customer Pricing Column				Customer Pricing Column			

Prices subject to change without notice.

KEPRO CIRCUIT SYSTEMS, INCORPORATED,
3630 Scarlet Oak Boulevard, St. Louis, Mo. 63122

800-325-3650 out-of-state / 314-225-5166 in Missouri

Circle 129 on Reader-Service Card

Index for 1976

Packaging Techniques

"The Cost-Technology Factor in Electronic Packaging," H. W. Markstein, Jan., p.35.
"Cabinets and Enclosures: The Factors Affecting the Modern Look," D. J. Levinthal, Feb., p.E-4.
"How to Choose the Proper Carrying Case," P. M. Johnson, Feb., p.E-14.
"Chassis Slides: A Component for Today," J. Del Vecchio, Feb., p.E-19.
"Power Supply Packaging: The Heat's On," H. W. Markstein, March, p.19.
"Packaging the Fluke Trendar 3020A Logictester," R. Iscoff, March, p.31.
"Impact-extruded MIC Packaging," J. E. Miley, March, p.43.
"Packaging Portable Military Ground Equipment," M. Rodriguez-Corredera, April, p.61.
"IC Packaging for High-speed Logic Applications," T. Malek and W. B. Schwartz, April, p.35.
"New Developments in Cooling Techniques," H. W. Markstein, May, p.36.
"Using Steel-Honeycomb Panels in Intermediate Size Cabinetry," F. Bolda and H. Kapper, May, p.73.
"Chip Capacitors Ease Circuit Packaging Problems," July, p.173.
"Illuminated Switches for Electronic Systems," G. King, July, p.187.
"Mounting Considerations for High-Current Hockey-Puk SCR's and Diodes," S. Pollack and A.P. Connolly, July, p.199.
"Understanding IC Packaging Panels," R. M. Grubb, July, p.182.
"The ABC's of Ceramic Capacitors," July, p.184.
"Packaging Mobile Communications Equipment," H. W. Markstein, Aug., p.25
"Microwave Packaging: Conceptions and Misconceptions," P. C. Wade, Sept., p.65.
"Packaging a Mobile Radiotelephone," R. McAdam and P. Poggi, Nov., p.107.
"Packaging An Electronic Display For The B-1 Aircraft," A. J. Trasatti, Dec., p.106.

Printed Circuits

"Reliability in Multilayer PC Fabrication," J.S. Schiavo and R. M. Mearns, Jan., p.73.
"Pollution and the PC Fabricators," H.W. Markstein, June, p.25.
"Computer Aided Design of Printed Wire Boards," W.J. Bowden, June, p.49.
"Flush-filled PC's Offer High Reliability," J. Wheeler, June, p.59.
"Tenting with Dry Film Photoresists," L.R. Wallig, July, p.56.
"Designing and Fabricating Flexible Circuitry," J.B. McKee, July, p.92

WELLER STATION IS HOT, HOTTER, HOTTEST!

You have a wide selection in three temperature ranges of 600° F, 700° F, and 800° F with the improved Weller® WTCP series controlled output soldering station. Transformer powered station... low voltage, temperature controlled..."Closed Loop" control of tip temperature. ☐ We have branches in 17 major markets ...Call us for a demonstration. (Request free 200+ page catalog #39 on your company letterhead.) Claude Michael, 9674 Telstar Ave., El Monte, CA 91731, (213) 686-0141 or (800) 423-4186.

FREE Electronic Production Manual

CLAUDE MICHAEL
A PRODUCT GROUP OF MARSHALL INDUSTRIES

Circle 71 on Reader-Service Card

Index for 1976

"Design Automation for Printed Circuit Boards," D. Rager, July, p.108.
"Solvent Conservation and Recovery in PC Fabrication," O. W. Harbin, Aug., p.35.
"Flexible Circuits: Recent Developments and Applications," H.W. Markstein, Oct., p.37.
"How to Justify Acquiring An Interactive Graphics System," R. L. Myers, Oct., p.99.
"An Approach to Reducing PC Assembly Costs," D. Harlow, Oct., p.148.
"Blowholes and Voids: Causes and Cures," R.A. Bulwith, Nov., p.95.
"Electroless Copper Plating Line Aids PC Fabrication," Nov., p.100.
"Machines and Tools for Assembling PC's," H. Markstein, Dec., p.34.
"PC Laminates: Alternate Materials Offer Benefits," G. King, Dec., p.41.

Production Techniques

"Fully Preinsulated Terminals Increase Productivity In Wire Harness Manufacture," March, p.80.
"Fabricating Nickel/Gold Connector Tabs Using a Dry-film Resist," D. J. Johnson, May, p.177.



WRAPOST® TERMINALS

WRAPOSTS by Auto-Swage are the finest in the industry. High volume production with repetitive die swaging accuracy assures low cost, top quality, burr-free, straight pins. Many standard sizes available from stock without tooling charges. Specials fabricated to order with complete in-house plating capability. Also find out about our efficient Auto-Sert terminal inserting system utilizing WRAPOST reels. Write for your free catalog today.

auto-swage PRODUCTS, INC.
726 River Road, Shelton, CT 06484 Tel (203) 929-1401

Circle 3 on Reader-Service Card

Grand Closing.

Heyco Nylon Hole Plugs for low cost entrance closures.



Easy fingertip assembly—for holes 3/16 to 2 inches in diameter. By far the quickest way to close holes.

FREE SAMPLE PACK

Send for a free sample pack of Heyco Hole Plugs and a catalog of the complete Heyco line today.

HEYMAN MANUFACTURING COMPANY

KENILWORTH, NEW JERSEY 07033
(201) 245-2345 • TWX: 710-996-5986

WAUKESHA, WISCONSIN 53186
(414) 542-7155 • TWX: 910-265-3668

CALL TOLL-FREE (800) 558-0917 • IN WISCONSIN CALL (800) 242-0985

HEYCO®

9A

Circle 24 on Reader-Service Card

NOW... INCREASE YOUR WIRE WRAPPING OUTPUT

BY AS MUCH AS **100%** WITH AMBRIT'S NEW Model 185



HIGH-SPEED, PRECISION TERMINAL ALIGNMENT SYSTEM

- Aligns pins in both directions
- Programmable to treat each row individually according to its individual characteristics
- Shorter command tape needed—utilizes a microprocessor . . . an Ambrit first.
- Locates terminals within .010" of true position
- Aligns up to 100 terminals per second
- Handles all types of pin rows on all conventional grids

AMBRIT, INC.
231 Andover Street, Wilmington, Mass. 01887 • 617/658-2991

Circle 119 on Reader-Service Card

Index for 1976

"Degreasing Solvent Reclaiming Systems," T.J. Kearney, July, p.50.
"Cupric and Ferric Chloride Etchant Regeneration Equipment," P.M. Wible, July, p.52.
"Carbon/Graphite Jigs and Fixtures," July, p.90.
"Chemical Milling Services," R. Wilson, July, p.106.
"Cryogenic Fluid Handling Systems," L. Gardner, July, p.150.
"Coil Winders Survey," Sept., p.105.
"Nickel Wire Preforms Via Chemical Milling," H.B. Snyder, Oct., p.118.

Soldering/Welding/Joining
"Control Data's Memory Module Benefits from Automatic Soldering," D. Jorgenson, R. Johnson, and L. Tessier, March, p.72.
"Reliability of Soldered Joints in Thermal Cycling Environments," D.L. Kinser, J.G. Vaughan and S.M. Graff, May, p.61.
"Assembling Electronic Devices by Ultrasonic Ring Welding," F.R. Meyer, July, p.27.
"Soldering by the Dipping Method," C.A. Waage, July, p.24.
"Modern Hand Soldering with Electric

High Temperature Wire & Cable for Electrical/Electronic Assemblies widest choice from Harbour Industries

We specialize in U/L and CSA listed wire and cable for electrical and electronic applications. Widest range of insulations for trouble-free service, fast installation, lightweight, resistance to abrasion, flexing, heat, chemicals, moisture. Overload protection, lowest dialectic constant and dissipation. Off-the-shelf delivery of most types.

FAST SERVICE. SHORT RUNS WELCOME. 4 PLANTS
Teflon TFE, FEP* • Tefzel* • Kapton* • Halar** Silicone rubber • PFA • Mica • Asbestos • Standard and custom engineered combinations.

FREE FACT FILE. High Temperature Wire and Cable Fact File includes unique Handbook; construction, application and use data; custom engineering services.

HARBOUR INDUSTRIES INC
Wire Division, Shelburne, VT. (802) 985-3311
460 Normandie Blvd., Farnham, Que. (514) 293-5304

*DuPont trademark
**Allied Chemical trademark

Circle 107 on Reader-Service Card

STRIP/BUS by Rogers



Low Cost Bussing Systems
Easy Installation
Reliable Solder Joints
Greater Pin Exposure

Write or call for details
ROGERS CORPORATION
Chandler, AZ 85224 Phone (602) 963-4584
EUROPE: Mektron NV, Ghent, Belgium JAPAN: Nippon Mektron, Tokyo

Circle 98 on Reader-Service Card

P.C. JACKS, PINS & TERMINALS

STANDARDIZED/CUSTOM

PRINTED CIRCUIT JACKS | PINS | SOLDER TERMINALS | TEFLON* TERMINALS

*Du Pont T.M.

FREE CATALOG AVAILABLE.

CONCORD ELECTRONICS CORPORATION

37 GREAT JONES STREET, N. Y. N. Y., 10012 (212) 777-6571 TWX 710-581-4930

Circle 62 on Reader-Service Card

Index for 1976

Soldering Irons," R.O. Johnson, July, p.26.
"Vapor Phase Solder Reflow," D.J. Spigarelli, July, p.48.
"Solderability Test Systems," P. Bud, July, p.274.

Testing/Measurements/QA
"Testing: What the Future Holds," S. Holyfield, Jan., p.45.
"Examining the Important Trends in ATE," P.C. Jackson, Jan., p.93.
"The Microprocessor Test Quandary," S. Holyfield, Feb., p.70.
"Optical Comparators: A Look at Visual Inspection Systems," S. Holyfield, March, p.54.
"Trends in Wafer-probing Systems, R. Iscoff, April, p.29.
"Tester Compatibility through Language Translators," L.R. Adams, May, p.87.
"Repair Stations Connected to Logic Board Testers Aid Throughput," May, p.97.
"Logic Board Fault Isolation Software," R.E. Anderson, June, p.36.
"Scanning Electron Microscope Services," J.A. Brown, July, p.110.

Focus on the KLIMSCH

MIKRONIKA Camera



■ a multi-stage camera specifically designed to meet the exacting requirements of the electronic's industry
■ combines the highest geometrical accuracy and line acuity with speed and operating convenience
■ film sizes up to 24 x 25 inches—copyholder, reflection and transmission up to 43 x 55 inches

For more information, contact

HEIDELBERG EASTERN repro

73-45 Woodhaven Blvd., Glendale, N.Y. 11227
New York (212) 431-7480 · Chicago (312) 678-5420
Los Angeles (213) 548-1718

Circle 23 on Reader-Service Card



Econotrimmer MODEL EMA-812
Weight: 200 to 230 lbs.

INVENTORY CLEARANCE
REGULARLY $4,990.00
ALL SOLD BEFORE DEC. 31
ONLY $3,490.00

The Econotrimmer is a low cost version of our popular AIDE PCB lead trimmer.

Available in four manually operated models ranging from 6" X 10" maximum board capacity to 8" X 12".

AIDE INC.

ASSOCIATED INDUSTRIAL DESIGN & ENGINEERING

ENGINEERING & MANUFACTURE OF SPECIAL MACHINERY

1833 OAKDALE AVE.
RACINE, WIS. 53406

PHONE: 637-6525 & 6

Circle 83 on Reader-Service Card

Looking for the right soldering iron tip? Hexacon has it!

Hexacon's Long-Life Durotherm and Xtradur soldering iron tips are the standard of excellence in worldwide markets. Their uniform high quality has earned for them the well recognized position of continued leadership.

DUROTHERM

The premier soldering tip with patented stainless steel bonded over copper shanks, guaranteed not to freeze in any Hexacon iron. Heavy iron plated, immunized with nickel and chrome and LECTROTIN on working surface. DUROTHERM is available only from Hexacon.

XTRADUR

Recognized as the quality standard for iron plated soldering tips! Heavy iron plating over entire length, nickel chrome immunized shanks. LECTROTIN on working surface.



All Hexacon Long-Life Durotherm and Xtradur tips are manufactured uniformly to precise dimensions. Hexacon, long recognized as the pioneer developer of long-life iron plated tips, is also the leading designer of custom tips for special application.

Write for our new tip catalog.

WORLD'S HEXACON LEADER

HEXACON ELECTRIC CO.

161 West Clay Avenue, Roselle Park, N.J. 07204 • Tel.: (201) 245-6200

HEXACON . . . the most respected name in soldering equipment.

Circle 128 on Reader-Service Card

Index for 1976

"Logic Simulators and Testers," July, p.266.
"Selecting a Scanning Electron Microscope," N. Burns and R. Harniman, July, p.268.
"PC Board Testers, Digital Circuit," K. Taschioglou, July, p.272.
"Selecting a Tester to Meet 4k RAM Incoming Inspection Needs," August, p.T-7.
"Designing Digital Circuits For Testability," R. Ellinger, August, p.T-17.
"The Economics of Backplane Testing," J. Hotchkiss, August, p.T-24.
"Surveying Today's Hybrids," H.W. Markstein, Sept., p.51.
"Hybrid Device Incoming Inspection: Conflict Between User and Supplier?" G. King, Sept., p.59.
"Visual Inspection Techniques Employing Computers," C. Harlow, S.J. Dwyer III, D. Mountjoy and W. McFarland, Sept., p.111.
"Changes in Wafer Parameter Testing Improve Semi-conductor Device Yields," G. King, Nov., p.45.
"Programmable Voltage Standard Speeds Systems Checkout," Nov., p.124.

BEST STRIP SHOW IN TOWN.

All three top performers have exclusive contracts with Clauss. At the top of the bill:

No-nik wire strippers, the reliable way to remove insulation mechanically with no nicks, cuts, scrapes or fuss. Next, scissors of high carbon cutlery steel with double plating. Followed by chrome-plated, stainless and non-magnetic stainless steel tweezers as well as beryllium anti-wicking tools. See your Clauss distributor for these great stars and the rest of the Clauss cast. Or contact Clauss Cutlery Company, Fremont, Ohio 43420. An Alco Standard Company.





Clauss

ALCO The Corporate Partnership

Circle 92 on Reader-Service Card

MODPAK™

The Totally Modular Electronics Packaging System

Provides everything you need... from CASES, COVERS, CONNECTORS and MOUNTING CLIPS to RF GASKETS. Even BLANK CIRCUIT BOARDS to speed your prototype designs of RF and other circuits. All at a fraction of the cost of in-house fabrication. Shipped in less than 24 hours.



- Nickel-Plated Aluminum Cases
- 26 Standard Models — Custom Models — Fabricated Packages to Exact Specifications
- BNC, TNC, Type N or SMA Connectors & DC Feedthrus
- Unique Mounting Clips let you install PC Boards in Minutes

Catalog complete with Order Forms by return mail.

Call (617) 891-7048 for Prototype or Production Volumes

MODPAK™ an Adams-Russell Company

31 Green Street, Waltham, Massachusetts 02154

Circle 123 on Reader-Service Card

Index for 1976

Wire and Cable

"Wire Processing and Terminating Trends," D.J. Levinthal, May, p.27.

"Crosstalk Performance of Flat Cable for Telephone Applications," J.W. Balde, R.H. Delaney and J.N. Lahti, May, p.49.

"Wire and Cable Trends," G. King, June, p.W-4.

"Selection of a Flat Flexible Cable for Digital Data Transmission," S. Verma, June, p.W-15.

"Flex Life in Cables," K.W. Moll and D.R. McCarter, June, p.W-29.

Index of Authors

Abrahams, C.D., July, p.245
Adams, L.R., May, p.87
Anderson, R.E., June, p.36
Angellucci, T. Sr., July, p.154
Balde, J.W., May, p.49
Bolda, F., May, p.73
Bowden, W.J., June, p.49
Bowen, T., April, p.17
Brown, J.A., July, p.110
Bud, P., July, p.274
Bulwith, R.A., Nov., p.95
Burns, N., July, p.268
Castonguay, R., July, p.80

CLIP/STRIP

NEW UNIVERSAL SOLDERLESS BUSSING SYSTEM



PAT. NO. 3918788

Unlike present bussing systems the new "Clip/Strip" design employs two discrete components; a buss strip made of relatively thick, high conductivity material and separate, individually installed spring clips, made from thin, high strength material and plated for high conductivity and low contact resistance.

- Greater current carrying capacity.
- Low profile design.
- Any spacing available at no extra cost
- Easy repairability.
- Clips available for .025 sq., .045 sq., .032 x .062 also .062 x .032 post sizes clips.

ELECTRONICS STAMPING CORPORATION

13629 ALMA AVENUE
GARDENA, CALIFORNIA 90249
(213) 532-7810
(213) 770-0341

Circle 66 on Reader-Service Card

REDUCE PCB COSTS!



LEAD-O-MATIC II
For boards up to 12" x 14"

LEAD-O-MATIC III
For boards up to 4.5" wide by any length.

FAST—The LEAD-O-MATICS are twenty times faster than hand.

ACCURATE—Precision machining allows trim heights down to .010 inches.

RUGGED—Solid construction guarantees years of maintenance-free operation.

SIMPLE—In minutes any operator can be an expert.

SAFE—The LEAD-O-MATICS have been designed with O.S.H.A. in mind to prevent accidents.

For information on how you can utilize mechanized leadtrimming and save thousands of dollars in assembly costs circle our number on the reader service card and receive absolutely free Q CORPORATIONS GUIDE TO MECHANIZED LEADTRIMMING.

Q CORPORATION

221 W. Market St., Derby, Kansas 67037
(316) 788-3611

Circle 135 on Reader-Service Card

Index for 1976

Connolly, A.P., July, p. 199
Danielson, R.D., July, p.78
Delaney, R.H., May, p.49
Del Vecchio, J., Feb., p.E-19
Devaney, J.R., June, p.113
Dwyer, S.J., III, Sept. p.111
Ellinger, R., Aug., p.T-17
Engquist, R.D., Dec., p.96
Foster, T.M., July, p.156
Garte, S.M., July, p.228
Gardner, L., July, p.150
Graff, S.M., May, p.61
Grubb, R.M., July, p.182
Guidici, D.C., May, p.101
Harbin, O.W., Aug., p.35
Harlow, C., Sept., p.111
Harlow, D., Oct., p.148
Harniman, R., July, p.268
Harris, H.R., Jan., P.60
Heath, R. H., July, p.152
Holyfield, S., Jan., p.45; Feb., p.70; Mar., p. 54
Hotchkiss, J., Aug., p.T-24
Iscoff, R., March, p.31; April, p.29
Jackson, P.C., Jan., p.93
Johnson, D.J., May, p.177
Johnson, P.M., Feb., p.E-14
Johnson, R., Mar., p.72
Johnson, R.O., July, p.26
Jones, H.F., July, p.168

DIGITAL DERMITRON

A Direct Reading Instrument For Nondestructive Thickness Measurements of Coatings and Platings

- **Automatic, direct reading of coating thickness in either British or metric units.**
- **All solid state circuitry for faster, more accurate and highly reliable measurements.**

UPA Unit Process Assemblies, Inc.
60 Oak Drive, Syosset, New York 11791
(516) 364-1080 Telex: 14-3115

Circle 44 on Reader-Service Card

Jorgenson, D., Mar., p.72
Kapper, H., May, p.73
Kearney, T.J., July, p.50
King, G., June, p.W-4; July, p.187
Sept., p.59; Oct ., p.43; Nov.p.45
Dec., p.41
Kinser, D.L., May, p.61
Kuist, C.H., Feb., p.81
Lahti, J.N., May, p.49
Levinthal, D.J., Feb., p.E-4;
May, p.27
Malek, T., April, p.35
Markstein, H.W., Jan., p.35; Feb., p.24;
Mar., p.19; April, p.21; May, p.36;
June, p.25; Aug., p.25; Sept., p. 51;
Oct., p.37; Nov., p.51; Dec., p.34
McAdam, R., Nov., p.107
McCarter, D.R., June, p.W-29
McFarland, W., Sept., p.111
McKee, J.B., July, p.92
Mearns, R.M., Jan., p.73
Meyer, F.R., July, p.27
Meyers, D.E., July, p.121
Myers, R.L., Oct., p.99
Miley, J.E., Mar., p.43
Moll, K.W., June., p.W-29
Moore, G.E., Sr., July, p.170
Mountjoy, D., Sept., p.111
Neff, G.R., July, p.271

Non-destructive soldering

Uncontrolled soldering temperatures may have been adequate for the pre-solid state era, but today's heat sensitive micro-electronic devices and printed circuits are easily degraded by uncontrolled heat. Royel Soldering Tools protect your circuits . . . and your reputation.

DUO-TEMP SERIES

- SIMPLE CONTROL OF TEMPERATURE
- TWO TOOLS IN ONE
- POWER INDICATOR LIGHT
- BUTTON CONTROLS LIGHT / HEAVY WORK

THERMATIC SERIES

- FULLY ELECTRONIC TEMPERATURE CONTROL
- CLOSED LOOP SYSTEM
- SOLID STATE SWITCHING
- TEMPERATURE SELECTION IN HANDLE
- RANGE 400°F - 800°F

NO TIP HOLDING SET SCREW. NON-CORRODING TIP SLEEVE. ALL TOOLS THREE WIRE GROUNDED NON-BURN FLEXIBLE CORD. COMPLETE SELECTION OF LONG LIFE PLATED TIPS . .

ROYEL SOLDERING SYSTEMS INC.
12918 HASTER STREET, GARDEN GROVE, CAL. 92640
(714) 971-0181

Circle 117 on Reader-Service Card



Keep Transistors Cool and Snug

Now your TO-5 and TO-18 case style transistors can be held more securely while improving thermal resistance at the same time.

Wakefield's Series 260 Cup Clips have a unique one piece construction that gives greater surface contact between the case and the clip. Results are greater holding strength and cooler operation.

These popular semi-conductor retainers are more economical than competitive makes, too. Only 10¢ apiece in quantity. Non-insulated, epoxy insulated or beryllium insulated, all types feature a flared lip for easy component insertion.

Call or write for full details and free samples.

WAKEFIELD ENGINEERING INC.
77 AUDUBON ROAD, WAKEFIELD, MA 01880 (617) 245-5900
TWX 710-348-6713 AN EG&G COMPANY



Circle 48 on Reader-Service Card

SAVE 50% in HAND FATIGUE

with

3 LOW COST, BASIC HAND TOOLS FROM E.P.E.

which cover

Most Electronic Production Requirements

- MICRO-SHEAR™ Lead flushcutter. Model 170. The *original* approach in low cost hand tools. Features blade by-pass for 50% less effort. Flush cuts up to 14 AWG wire. Just 5 inches long. Weighs 1½ oz.
- MACRO-SHEAR™ Wire & cable cutter. Model 1175. Offers many MICRO-SHEAR advantages plus the ability to work with larger, wider and heavier wire. Cuts cable, co-ax, up to ⅝" diameter harness or flat cable. Only 5¼" long. Weighs merely 2½ oz.

- MICRO-NOSE™ Pliers. Model 375. Special thin profile for work in tight spots. Has serrated jaw as standard with plain jaw available at same price. 5" long. Weighs 1½ oz.

EPE TOOLS FEATURE: really low profiles for those hard to reach locations; are exceptionally light weight yet rugged and sturdy for a long cutting life. Return springs are double-coil steel. Handles are plastic and shaped to fit the palm of the hand.

Available in the U.K.: Electrautom Ltd., Etom House, Queens Rd., Maidenstone, Kent ME 160 JG

Electronic Production Equipment Corporation

6 Kane Industrial Drive, Hudson, Mass. 01749 U.S.A.
617/562-9123 TELEX 94-8345

Circle 20 on Reader-Service Card

Index for 1976

Poggi, P., Nov., p.107
Polich, D.G., July p.54
Pollack, S., July, p.199
Rager, D., July, p.108
Rodriguez-Corredera, M., April, p.61
Schiavo, J.S., Jan., p.73
Schwartz, W.B., April, p.35
Snyder, H.B, Oct., p.118
Spigarelli, D.J., July, p.48
Taschioglou, K., July, p.272
Tessier, L., March, p.72
Trasatti, A.J. Dec., p.106
Umbaugh, C.W., Oct., p.49
Vaughan, J.G., May, p.61
Verma, S., June, p.W-15
Waage, C.A., July, p.24
Wade, P.C., Sept., p.65
Wallig, L.R., July, p.56
Wheeler, J., June, p.59
Wible, P.M., July, p.52
Wilson, R., July, p.106
Wulgart, D.J., July, p.76
Zarlingo, S.P., July, p.217

IS THIS ISSUE ADDRESSED TO YOU? IF NOT, FILL OUT CARD ON PAGE 1.

PHILLIPS: WORLD LEADER IN ADVANCED PRECISION CLEANING EQUIPMENT

BATCH TYPE PRINTED CIRCUIT DEFLUXERS



HEAVY DUTY CONVEYORIZED DEGREASING SYSTEMS

ULTRASONIC CONSOLE CLEANERS FOR AQUEOUS DETERGENTS AND FREON® CLEANING AGENTS

FREON SOLVENT EQUIPMENT MANUFACTURER

PHILLIPS MANUFACTURING COMPANY
7334 N. CLARK ST. CHICAGO, ILLINOIS 60626
PHONE (312) 338-6200

Circle 134 on Reader-Service Card